SHERWIN-WILLIAMS

SAFETY DATA SHEET

Date of issue/ Date of revision : 2014-10-18.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Beckry Seal
Product code : UL1121

Product type : UV Clear Sealer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial PAINT (including paint, lacguer, enamel, stain, shellac, varnish, polish,

liquid filler and liquid lacquer base) and Painting-related materials.

1.3 Details of the supplier of the safety data sheet

Manufacturer Sherwin-Williams Sweden AB

Box 2016, SE-195 02 Märsta, SWEDEN

Tel: +46 (0)381 261 00 Fax: +46 (0)381 261 95 info.acroma@sherwin.com : acroma.envir@sherwin.com

e-mail address of person

responsible for this SDS

Serbia

: Sherwin-Williams Balkan SRL

CHISODA, DN.59 KM 8+ 550 M stanga OP 1, CP 513

RO-300 024 TIMISOARA, Romania

Phone: +40 256 420 320 Fax: +40 256 420 326 sales.balkan@sherwin.com

Bosnia and Herzegovina : Sherwin-Williams Balkan SRL

CHISODA, DN.59 KM 8+ 550 M stanga OP 1, CP 513

RO-300 024 TIMISOARA, Romania

Phone: +40 256 420 320 Fax: +40 256 420 326 sales.balkan@sherwin.com

Macedonia : Sherwin-Williams Balkan SRL

CHISODA, DN.59 KM 8+ 550 M stanga OP 1, CP 513

RO-300 024 TIMISOARA, Romania

Phone: +40 256 420 320 Fax: +40 256 420 326 sales.balkan@sherwin.com

Russian Federeration : ZAO Sherwin-Williams

22, 1-ja Konnaja Lahta str.

pos. Olgino

197229 St. Petersburg

Russia

Phone: +7 812 334 97 54 info@beckeracroma.ru

UL1121 Printed 2015-04-20. Page: 1/12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Rep. of Belarus

Sherwin-Williams BEL

Office 12, 12; building ODO "Dinko"

Ozertso vill. BY-223021

P.O. Box 34 Minsk District Republic of Belarus Phone: +375 17 507 67 74 info@beckeracroma.by

Ukraine

: LTD Sherwin-Williams Ukraine

5 Solomenskaya str.

office 402 03110 Kiev

Phone: +38 050 143 23 43 yuliya.sobol@sherwin.com

China

: Sherwin-Williams (Shanghai) Ltd. 188 Wuxiang Road, Xu Hang Town

Jiading, Shanghai 201808 Phone: +86 21 59552882 info@beckeracroma.com.cn

Thailand

: Sherwin-Williams (Thailand) Co., Ltd.

700/254 M00 1 Amata Nakorn

Industrial Estate Tambol Bankao Amphur Panthong

TH-20160 Chonburi

Thailand

Phone: +66 38 465 220 becker.th@sherwin.com

Vietnam

: Sherwin-Williams (Vietnam) Ltd.

Hoa Lan block Thuan Giao ward Thuan An town Binh Duong Province

Vietnam

Phone: +84 65 3747343 info@sherwin.com.vn

Malaysia

: Sherwin-Williams Malaysia Sdn Bhd

PLO 572 Jalan Keluli 10 Kawasan Perindustrian Pasir Gudang , Johor 81700 Phone: +60 7 252 9000 enquiry@sherwin.com.my

Australia

: Perth Address:

Twenty Two Service

PO Box 22

Wanneroo WA 6946

Australia

Phone: +61 8 9206 0220 perth@22croma.com.au

Sydney address: Croma Coatings PO Box 372 Mortdale NSW 2223

Australia

Phone: +61 2 9533 9122 sydney@22croma.com.au

New Zealand

: Wood Finishing Supplies Ltd.

P.O. Box 58-467

Botany

Manukau 2163, Auckland

New Zealand

Phone: +64 9 917 1310 aaroni@wfsupplies.co.nz

UL1121 Printed 2015-04-20. Page: 2/12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.4 Emergency telephone number

Telephone number

: Sherwin-Williams Sweden, +46 (0)381 262 59, +46 (0)381 262 34, +46 (0)381 262

75

Hours of operation

: Monday-Friday 08.00-16.30 CET

Emergency telephone number of official advisory body

Australia: 000	Belarus: 103	Canada: 911	China: 120	Hong Kong: 999
Indonesia: 118/119	Malaysia: 999	New Zealand: 111	Philippines: 117	Russia: 03
Taiwan: 119	Thailand: 1669	Ukraine: 103/112	Vietnam: 115	USA: 911
Serbia: 94/112	Bosnia- Herzegovina: 124	Macedonia: 194		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R36/37/38

R43 N; R51/53

Human health hazards : Irritating to eyes, respiratory system and skin. May cause sensitization by skin

contact.

Environmental hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard symbol or symbols



Indication of danger

: Irritant, Dangerous for the environment

Risk phrases

: R36/37/38- Irritating to eyes, respiratory system and skin.

R43- May cause sensitization by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases

S24- Avoid contact with skin. S37- Wear suitable gloves.

Hazardous ingredients

: (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate

Supplemental label

elements

: Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: Not available

SECTION 3: Composition/information on ingredients

Substance/mixture : Mixture

UL1121 Printed 2015-04-20. Page: 3/12

SECTION 3: Composition/information on ingredients

			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Fethane acrylate oligomer	-	50-75	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
Tripropylene glycol diacrylate	REACH #: 01- 2119484613-34	25-30	Xi; R36/37/38	Skin Irrit. 2, H315	[1]
	EC: 256-032-2 CAS: 42978-66-5 Index: 607-249-00-X		R43 N; R51/53	Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411	
Acrylate oligomer	-	7-10	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
Benzophenone	EC: 204-337-6 CAS: 119-61-9	1-2,5	Xn; R48/22 N; R51/53	STOT RE 2, H373 Aquatic Chronic 2, H411	[1]
2-Hydroxy-2-methyl-1- phenyl-propane-1-one	EC: 231-272-0 CAS: 7473-98-5	1-2,5	Xn; R22	Acute Tox. 4, H302	[1]
Lauryl acrylate	EC: 218-463-4 CAS: 2156-97-0 Index: 607-133-00-9	1-2,5	Xi; R36/37/38 N; R51/53	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411	[1]
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

Skin contact

Ingestion

Protection of first-aiders

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of mat	aid incusures
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	 Check for and remove any contact lenses. Immediately flush eyes with running water for at least 5 minutes, keeping eyelids open.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. In case of accidental skin contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of skin.

: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do not induce vomiting.

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See sections 3 and 15 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Acrylate components of the preparation have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin

UL1121 Printed 2015-04-20. Page: 4/12

SECTION 4: First aid measures

reactions with repeated exposure.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Ingestion may cause nausea, weakness and central nervous system effects.

Contains (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate, 2,2'-(ethylenedioxy)diethyl diacrylate. May produce an allergic reaction.

The following products have sensitizing properties: (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate, 2,2'-(ethylenedioxy)diethyl diacrylate. Cases of hypersensitivity may occur, possibly with cross-sensitization to other acrylate materials.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments

No specific treatment.

Not available

See toxicological information (Section 11)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Recommended: alcohol-resistant foam, CO₂ blanket, powders, water spray or mist.

Unsuitable extinguishing

: Do not use water jet.

media

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.

Special protective equipment for fire-fighters

: Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Exclude sources of ignition and ventilate the area. Avoid breathing vapor or mist. Refer to protective measures listed in sections 7 and 8.

For emergency responders:

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions

: Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

6.3 Methods and materials for containment and cleaning up

: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.

6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

UL1121 Printed 2015-04-20. Page: 5/12

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.

7.1 Precautions for safe handling

: Use only in well-ventilated areas.

Keep away from heat, sparks and flame.

Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this preparation. Avoid inhalation of dust from sanding.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel.

Always keep in containers made from the same material as the original one.

Comply with the health and safety at work laws.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

Notes on joint storage

Keep away from: oxidizing agents, strong alkalis, strong acids.

Additional information on storage conditions

Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight.

Keep container tightly closed.

Keep away from sources of ignition. No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep only in the original container.

7.3 Specific end use(s)

Recommendations : Not available Industrial sector specific : Not available solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Europe

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls

: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn.

Individual protection measures

UL1121 Printed 2015-04-20. Page: 6/12

SECTION 8: Exposure controls/personal protection

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Use safety eyewear designed to protect against splash of liquids.

Skin protection

: Barrier creams may help to protect the exposed areas of the skin but should not be **Hand protection** applied once exposure has occurred.

Gloves

: Gloves must be worn for all work that may result in soiling. Wear suitable gloves tested to EN374. Recommended: Nitrile gloves. For specific applications, it is recommended to check the chemical resistance of the protective gloves mentioned above with the glove manufacturer. Do not wear the same gloves for other work. The recommendation for the type or types of glove to use when handling this product is based on information from the following source: European Solvents Industry Group (ESIG) & AnsellPro. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

Body protection

Personnel should wear protective clothing.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: In situations where misting or flying may occur, use appropriate certified respirators.

Recommended

particulate filter, P2-P3

Environmental exposure

: Do not allow to enter drains or watercourses.

controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

: Liquid. **Physical state** Odor : Faint odor.

Odor threshold Not available (Not tested)

: Not applicable. (non-aqueous preparation) pН

Melting point/freezing point Initial boiling point and boiling : Not available (Not tested)

range

: Not available (Not tested)

: Closed cup: >105°C [ASTM 6450] Flash point

Not applicable. UV Product **Evaporation rate** Flammability (solid, gas) : Not applicable. UV Product **Burning time** Not available (Not tested) **Burning rate** Not available (Not tested)

Upper/lower flammability or

explosive limits

: Not applicable. UV Product

Vapor pressure Not available (Not tested) Not available (Not tested) Vapor density

Relative density : 1,13 g/cm³

: Not available (Not tested) Solubility(ies) Not available (Not tested) Partition coefficient: n-

g/l : 2

octanol/water

Auto-ignition temperature : Not available (Not tested) : Not available (Not tested) **Decomposition temperature**

: 1800-2200 mPas Viscosity

: Under normal conditions of storage and use, hazardous reactions will not occur. **Explosive properties** : Under normal conditions of storage and use, hazardous reactions will not occur. **Oxidizing properties**

Page: 7/12

VOC content

UL1121

: 0,14 % Printed 2015-04-20.

SECTION 9: Physical and chemical properties

Dry content (%)

: 100

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: Hazardous reactions or instability may occur under certain conditions of storage or use.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: This preparation contains materials which are unstable under the following conditions: exposure to heat, strong UV sources. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided.

10.5 Incompatible materials

: Keep away from: free radical initiators, peroxides, strong alkalis, reactive metals.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

There are no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See sections 3 and 15 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Acrylate components of the preparation have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Ingestion may cause nausea, weakness and central nervous system effects.

Contains (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate, 2,2'-(ethylenedioxy)diethyl diacrylate. May produce an allergic reaction.

The following products have sensitizing properties: (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate, 2,2'-(ethylenedioxy)diethyl diacrylate. Cases of hypersensitivity may occur, possibly with cross-sensitization to other acrylate materials.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
(1-methyl-1,2- ethanediyl)bis[oxy(methyl- 2,1-ethanediyl)] diacrylate	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Oral	Rat	6200 mg/kg	-
Benzophenone	LD50 Dermal	Rabbit	3535 mg/kg	-
-	LD50 Oral	Rat	>10 g/kg	-
2-hydroxy-2- methylpropiophenone	LD50 Dermal	Rat	6929 mg/kg	-
	LD50 Oral	Rat	1694 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
(1-methyl-1,2- ethanediyl)bis[oxy(methyl- 2,1-ethanediyl)] diacrylate	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Moderate irritant	Rabbit	-	-	-

UL1121 Printed 2015-04-20. Page: 8/12

SECTION 11: Toxicological information

Other information : Not available

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the preparation itself.

Do not allow to enter drains or watercourses.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See sections 3 and 15 for details.

Product/ingredient name	Result	Species	Exposure
Benzophenone	Acute LC50 10,89 to 12,31 mg/L Fresh water	Fish - Pimephales promelas - LARVAE - <24 hours	96 hours

12.2 Persistence and degradability

Conclusion/Summary : Not available

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Benzophenone 2-hydroxy-2- methylpropiophenone	-		Not readily Not readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Benzophenone 2-hydroxy-2- methylpropiophenone	3,18 1,62		low low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available

Mobility : Not available

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

European waste catalogue (EWC)

: 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances

Hazardous waste

Packaging

: Yes.

UL1121 Printed 2015-04-20. Page: 9/12

SECTION 13: Disposal considerations

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Ensure packaging is completely empty before recycling. Dispose of uncured residues in the same way as the product itself

Plastic. EWC 15 01 02 plastic packaging

Metal. EWC 15 01 04 metallic packaging

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Contaminated packaging

: EWC 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	3082	3082	3082
14.2 UN proper shipping name	Environmentally hazardous substance liquid,n.o.s (GDA)	Environmentally hazardous substance liquid,n.o.s (GDA)	Environmentally hazardous substance liquid,n.o.s (GDA)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes.	Yes.	Yes.
14.6 Special precautions for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Additional information	Tunnel code (E)	Emergency schedules (EmS) F-A,S-F	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

: Not applicable.

Other EU regulations

articles

Europe inventory: Not determined.

Black List Chemicals : Not listed

UL1121 Printed 2015-04-20. Page: 10/12

SECTION 15: Regulatory information

Priority List Chemicals

Integrated pollution prevention and control : Not listed : Not listed

list (IPPC) - Air

Integrated pollution prevention and control list (IPPC) - Water

: Not listed

Industrial use

: The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

International regulations

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons Convention List Schedule II

Chemicals

: Not listed

: Not listed

Chemical Weapons Convention List Schedule III

Chemicals

: Not listed

15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still

required.

SECTION 16: Other information

CEPE code

Indicates information that has changed from previously issued version.

Abbreviations and

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation (Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 **STOT SE 3, H335**

Aquatic Chronic 2, H411

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Full text of abbreviated H

statements

: H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319

Causes serious eye irritation. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

UL1121 Printed 2015-04-20. Page: 11/12

SECTION 16: Other information

Full text of classifications [CLP/GHS]

: Acute Tox. 4, H302 ACUTE TOXICITY: ORAL - Category 4

Aquatic Chronic 2, H411 AQUATIC TOXICITY (CHRONIC) - Category 2
Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1

STOT RE 2, H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED

EXPOSURE) - Category 2

STOT SE 3, H335 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3

Full text of abbreviated R phrases

: R22- Harmful if swallowed.

R48/22- Harmful: danger of serious damage to health by prolonged exposure if

swallowed.

R36/38- Irritating to eyes and skin.

R36/37/38- Irritating to eyes, respiratory system and skin.

R43- May cause sensitization by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications [DSD/DPD]

: Xn - Harmful Xi - Irritant

N - Dangerous for the environment

Date of printing

Date of issue/ Date of

: 2015-04-20.: 2014-10-18.

revision

. 2014-10-10.

Date of previous issue

: 2014-02-21.

Version

Notice to reader

4.04

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of

the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

UL1121 Printed 2015-04-20. Page: 12/12